

Key to Selected Variables

Age Categories (in Years):

Standard Age Groups: 12-17, 18-25, 26 or Older.

7 Detailed Age Categories: 12-13, 14-15, 16-17, 18-20, 21-25, 26-34, 35 or Older.

23 Detailed Age Categories: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65 or Older.

Racial/Ethnic Characteristics:

Hispanic Origin and Race: Not Hispanic or Latino White, Not Hispanic or Latino Black or African American, Not Hispanic or Latino American Indian or Alaska Native, Not Hispanic or Latino Native Hawaiian or Other Pacific Islander, Not Hispanic or Latino Asian, Not Hispanic or Latino Two or More Races, or Hispanic or Latino.

Racial/Ethnic Subgroups: Not Hispanic or Latino - White, Black or African American, American Indian or Alaska Native, Native Hawaiian, Other Pacific Islander, Chinese, Filipino, Japanese, Asian Indian, Korean, Vietnamese.

Hispanic or Latino - Mexican, Puerto Rican, Central or South American, or Cuban.

Gender/Race/Hispanic Origin: White Male, White Female, Black or African American Male, Black or African American Female, Hispanic or Latino Male, Hispanic or Latino Female.

Other Demographic Characteristics:

Education: Less Than High School, High School Graduate, Some College, College Graduate.

Current Employment: Full-Time, Part-Time, Unemployed, Other.

Geographic Characteristics:

Region: Northeast, Midwest, South, West.

Division: New England, Middle Atlantic, East North Central, West North Central, South Atlantic, East South Central, West South Central, Mountain, Pacific.

County Type: Large Metro counties; Small Metro counties, including counties with population of 250,000 up to 1 million, and counties with population of less than 250,000; Nonmetro, including urbanized counties, less urbanized counties, or completely rural counties.

Matrix of Section 1 Tables: Illicit Drug Use

Cell entries in this matrix refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Use of Specific Illicit Drugs ¹			Any Illicit Drug Use			Marijuana Use			Cocaine Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	1	1	1	19, 26, 61, 71	19, 26, 61, 71	19, 26, 61, 71	20, 31, 66, 76	20, 31, 66, 76	20, 31, 66, 76	21, 36, 81	21, 36, 81	21, 36, 81
All Persons Aged 18 or Older	18	18	18	30, 65, 75	30, 65, 75	30, 65, 75	35, 70, 80	35, 70, 80	35, 70, 80	40, 85	40, 85	40, 85
Standard Age Groups (in Years)	(2-4), (14-17)	(2-4), (14-17)	(2-4), (14-17)	26, (27-29), (62-64), (72-74)	26, (27-29), (62-64), (72-74)	26, (27-29), (62-64), (72-74)	31, (32-34), (67-69), (77-79)	31, (32-34), (67-69), (77-79)	31, (32-34), (67-69), (77-79)	36, (37-39), (82-84)	36, (37-39), (82-84)	36, (37-39), (82-84)
7 Detailed Age Categories	(5-11)	(5-11)	(5-11)									
23 Detailed Age Categories				19	19	19	20	20	20	21	21	21
Gender	(12-13), (14-17)	(12-13), (14-17)	(12-13), (14-17)	26-30	26-30	26-30	31-35	31-35	31-35	36-40	36-40	36-40
Hispanic Origin and Race				26-30	26-30	26-30	31-35	31-35	31-35	36-40	36-40	36-40
Gender/Race/Hispanic Origin				27	27	27	32	32	32	37	37	37
Racial/Ethnic Subgroups				61-65	61-65	61-65	66-70	66-70	66-70			
Education & Current Employment				28-30	28-30	28-30	33-35	33-35	33-35	38-40	38-40	38-40
Geographic Characteristics				71-75	71-75	71-75	76-80	76-80	76-80	81-85	81-85	81-85

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NSDUH drugs and drug categories. See Table 1.1 for a complete listing of the specific drugs and classes of drugs.

Matrix of Section 1 Tables: Illicit Drug Use (continued)

Cell entries in this matrix refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Hallucinogen Use			Inhalant Use			Nonmedical Use of Any Prescription-Type Psychotherapeutic			Use of Any Illicit Drug Other Than Marijuana		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	22, 41, 86, 106	22, 41, 86	22, 41, 86	23, 46, 91, 106	23, 46, 91	23, 46, 91	24, 51, 96	24, 51, 96	24, 51, 96	25, 56, 101	25, 56, 101	25, 56, 101
All Persons Aged 18 or Older	45, 90	45, 90	45, 90	50, 95	50, 95	50, 95	55, 100	55, 100	55, 100	60, 105	60, 105	60, 105
Standard Age Groups (in Years)	41, (42-44), (87-89), 106	41, (42-44), (87-89)	41, (42-44), (87-89)	46, (47-49), (92-94), 106	46, (47-49), (92-94)	46, (47-49), (92-94)	51, (52-54), (97-99)	51, (52-54), (97-99)	51, (52-54), (97-99)	56, (57-59), (102-104)	56, (57-59), (102-104)	56, (57-59), (102-104)
7 Detailed Age Categories												
23 Detailed Age Categories	22	22	22	23	23	23	24	24	24	25	25	25
Gender	41-45	41-45	41-45	46-50	46-50	46-50	51-55	51-55	51-55	56-60	56-60	56-60
Hispanic Origin and Race	41-45	41-45	41-45	46-50	46-50	46-50	51-55	51-55	51-55	56-60	56-60	56-60
Gender/Race/Hispanic Origin	42	42	42	47	47	47	52	52	52	57	57	57
Racial/Ethnic Subgroups												
Education & Current Employment	43-45	43-45	43-45	48-50	48-50	48-50	53-55	53-55	53-55	58-60	58-60	58-60
Geographic Characteristics	86-90	86-90	86-90	91-95	91-95	91-95	96-100	96-100	96-100	101-105	101-105	101-105

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 1 Tables: Illicit Drug Use (continued)

Cell entries in this matrix refer to the tables in Section 1 numbered 1.1 to 1.110.

Characteristic	Use of Specific Hallucinogens and Inhalants	Use of Specific Pain Relievers	Use of Specific Tranquilizers	Use of Specific Stimulants	Use of Specific Sedatives	Methods of Administration ¹
	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	
All Persons Aged 12 or Older	106	107	108	109	110	106
All Persons Aged 18 or Older						
Standard Age Groups (in Years)	106	107	108	109	110	106
7 Detailed Age Categories						
23 Detailed Age Categories						
Gender						
Hispanic Origin and Race						
Gender/Race/Hispanic Origin						
Racial/Ethnic Subgroups						
Education & Current Employment						
Geographic Characteristics						

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ The methods of administration include needle use, and smoking or sniffing heroin.

Matrix of Section 2 Tables: Tobacco and Alcohol Use

Cell entries in this matrix refer to the tables in Section 2 numbered 2.1 to 2.111.

Characteristic	Use of Specific Tobacco and Alcohol ¹			Use of Any Tobacco Product			Cigarette Use			Smokeless Tobacco Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	1	1	1	19, 25, 70	19, 25, 70	19, 25, 70	20, 30, 55, 75	20, 30, 55, 75	20, 30, 55, 75	21, 35, 80	21, 35, 80	21, 35, 80
All Persons Aged 18 or Older	18	18	18	29, 74	29, 74	29, 74	34, 59, 79	34, 59, 79	34, 59, 79	39, 84	39, 84	39, 84
All Persons Aged 12 to 20												
All Persons Aged 21 or Older												
Standard Age Groups (in Years)	(2-4), (14-17)	(2-4), (14-17)	(2-4), (14-17)	25, (26-28), (71-73)	25, (26-28), (71-73)	25, (26-28), (71-73)	30, (31-33), (56-58), (76-78)	30, (31-33), (56-58), (76-78)	30, (31-33), (56-58), (76-78)	35, (36-38), (81-83)	35, (36-38), (81-83)	35, (36-38), (81-83)
7 Detailed Age Categories	(5-11)	(5-11)	(5-11)									
23 Detailed Age Categories				19	19	19	20	20	20	21	21	21
Gender	(12-13), (14-17)	(12-13), (14-17)	(12-13), (14-17)	25-29	25-29	25-29	30-34	30-34	30-34	35-39	35-39	35-39
Hispanic Origin and Race				25-29	25-29	25-29	30-34	30-34	30-34	35-39	35-39	35-39
Gender/Race/Hispanic Origin				26	26	26	31	31	31	36	36	36
Racial/Ethnic Subgroups							55-59	55-59	55-59			
Education & Current Employment				27-29	27-29	27-29	32-34	32-34	32-34	37-39	37-39	37-39
Geographic Characteristics				70-74	70-74	70-74	75-79	75-79	75-79	80-84	80-84	80-84

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NSDUH tobacco and alcohol categories. See Table 2.1 for a complete listing of all the tobacco and alcohol types.

Matrix of Section 2 Tables: Tobacco and Alcohol Use (continued)

Cell entries in this matrix refer to the tables in Section 2 numbered 2.1 to 2.111.

Characteristic	Cigar Use			Any Alcohol Use			Binge Alcohol Use	Heavy Alcohol Use
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Past Month Only	
All Persons Aged 12 or Older	22, 40, 85	22, 40, 85	22, 40, 85	23, 45, 60, 90	23, 45, 60, 90	23, 24, 45, 50, 60, 65, 90, 95	24, 50, 65, 95	24, 50, 65, 95
All Persons Aged 18 or Older	44, 89	44, 89	44, 89	49, 64, 94	49, 64, 94	49, 54, 64, 69, 94, 99	54, 69, 99	54, 69, 99
All Persons Aged 12 to 20				100,104, 108	100, 104, 108	100, 102, 104, 106,108,110	102, 106,110	102, 106,110
All Persons Aged 21 or Older				101, 105,109	101, 105,109	101, 103, 105, 107,109,111	103, 107,111	103, 107,111
Standard Age Groups (in Years)	40, (41-43), (86-88)	40, (41-43), (86-88)	40, (41-43), (86-88)	45, (46-48), (61-63), (91-93)	45, (46-48), (61-63), (91-93)	45, (46-48), 50, (51-53), (61-63), (66-68), (91-93), (96-98)	50, (51-53), (66-68), (96-98)	50, (51-53), (66-68), (96-98)
7 Detailed Age Categories								
23 Detailed Age Categories	22	22	22	23	23	23, 24	24	24
Gender	40-44	40-44	40-44	45-49 100-101	45-49 100-101	45-49, 50-54, 100-101, 102-103	50-54, 102-103	50-54 102-103
Hispanic Origin and Race	40-44	40-44	40-44	45-49 100-101	45-49 100-101	45-49, 50-54, 100-101, 102-103	50-54, 102-103	50-54 102-103
Gender/Race/Hispanic Origin	41	41	41	46, 100-101	46, 100-101	46, 51, 100-101, 102-103	51, 102-103	51, 102-103
Racial/Ethnic Subgroups				60-64, 104-105	60-64, 104-105	60-64, 65-69, 104-105, 106-107	65-69, 106-107	65-69, 106-107
Education & Current Employment	42-44	42-44	42-44	47-49	47-49	47-49, 52-54	52-54	52-54
Geographic Characteristics	85-89	85-89	85-89	90-94, 108-109	90-94, 108-109	90-94, 95-99, 108-109, 110-111	95-99, 110-111	95-99, 110-111

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 3 Tables: Risk and Protective Factors

Cell entries in this matrix refer to the tables in Section 3 numbered 3.1 to 3.69

Risk and Protective Factors	Persons Aged 12 or Older and Standard Age Groups	Demographic Characteristics and Drug Use for Persons Aged 12 to 17¹
Perceptions of Risk		
Smoking One or More Packs of Cigarettes Per Day	1	2
Smoking Marijuana Once a Month	1	3
Smoking Marijuana Once or Twice a Week	1	4
Using Cocaine Once a Month	1	5
Using Cocaine Once or Twice a Week	1	6
Trying Heroin Once or Twice	1	7
Using Heroin Once or Twice a Week	1	8
Trying LSD Once or Twice	1	9
Using LSD Once or Twice a Week	1	10
Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day	1	11
Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week	1	12
Ease of Obtaining...		
Marijuana	1	13
Cocaine	1	14
Crack	1	15
Heroin	1	16
LSD	1	17
Approached in Past Month by Someone Selling Drugs	1	18

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and binge alcohol.

Matrix of Section 3 Tables: Risk and Protective Factors (continued)

Cell entries in this matrix refer to the tables in Section 3 numbered 3.1 to 3.69.

Risk and Protective Factors	Demographic Characteristics and Drug Use for Persons Aged 12 to 17¹
Persons Aged 12 to 17 Reporting...	
Number of Times They Have Moved in the Past 5 Years	19
Persons Aged 12 to 17 Reporting How They Think Their Parents Would Feel About Their...	
Smoking One or More Packs of Cigarettes Per Day	20
Trying Marijuana or Hashish Once or Twice	21
Using Marijuana or Hashish Once a Month or More	22
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	23
Persons Aged 12 to 17 Reporting How Many Times in the Past Year They Had...	
Gotten into a Serious Fight at School or at Work	24
Taken Part in a Group-Against-Group Fight	25
Carried a Handgun	26
Sold Illegal Drugs	27
Stolen or Tried to Steal Anything Worth More Than \$50	28
Attacked Someone with the Intent to Seriously Hurt Them	29
Persons Aged 12 to 17 Reporting How They Would Feel About Someone Their Own Age...	
Smoking One Or More Packs of Cigarettes Per Day	30
Trying Marijuana or Hashish Once or Twice	31
Using Marijuana or Hashish Once a Month or More	32
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	33
Persons Aged 12 to 17 Reporting...	
Participation in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year	34
Participation in a Violence Prevention Program in the Past Year	35
Participation in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year	36
Participation in a Program in the Past Year for Dealing with Alcohol or Drug Use	37
Participation in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year	38
Talking with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use	39
Seeing or Hearing Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year	40
Seeing or Hearing Drug or Alcohol Prevention Messages at School in the Past Year	41
Participation in Youth Activities in the Past Year	42
Having No One to Talk with About Serious Problems	43

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and binge alcohol.

Matrix of Section 3 Tables: Risk and Protective Factors (continued)

Cell entries in this matrix refer to the tables in Section 3 numbered 3.1 to 3.69.

Risk and Protective Factors	Demographic Characteristics and Drug Use for Persons Aged 12 to 17 ¹
Persons Aged 12 to 17 Reporting...	
Number of Religious Services Attended in the Past Year	44
Religious Beliefs Are a Very Important Part of Their Life	45
Religious Beliefs Influence How They Make Decisions in Life	46
It is Important for Friends to Share Their Religious Beliefs	47
Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting...	
Average Grade for the Last Grading Period Completed	48
Feelings About Going to School in the Past Year	49
Assigned Schoolwork Was Meaningful and Important	50
Level of Importance Later in Life of Things Learned in School	51
How Interesting Courses at School Have Been	52
Teachers Let Them Know They Were Doing a Good Job With Schoolwork	53
How Many Students in Their Grade Smoke Cigarettes	54
How Many Students in Their Grade Use Marijuana or Hashish	55
How Many Students in Their Grade Drink Alcoholic Beverages	56
How Many Students in Their Grade Get Drunk at Least Once a Week	57
Parents Checked Whether Homework was Done in the Past Year	58
Parents Provided Help on Homework in the Past Year	59
Parents Limited Amount of Time They Spent Out With Friends on School Nights	60
Persons Aged 12 to 17 Reporting....	
Parents Made Them Do Chores Around the House	61
Parents Limited Amount of Time They Watched TV	62
Parents Let Them Know They Had Done a Good Job	63
Parents Told Them They Were Proud of Something They Had Done	64
Number of Times They Argued or Had a Fight with at Least One Parent	65
Close Friends' Feelings About Their Smoking One or More Packs of Cigarettes Per Day	66
Close Friends' Feelings About Their Trying Marijuana or Hashish Once or Twice	67
Close Friends' Feelings About Their Using Marijuana or Hashish Once a Month or More	68
Close Friends' Feelings About Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	69

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of any illicit drug, marijuana, any illicit drug other than marijuana, cigarettes, alcohol, and binge alcohol.

Matrix of Section 4 Tables: Incidence and Lifetime Prevalence

Cell entries in this matrix refer to the tables in Section 4 numbered 4.1 to 4.76.

Drug	Incidence Tables ¹	Incidence by Gender Tables ²	Lifetime Prevalence Tables ³
Marijuana	1	20, 39	58
Cocaine	2	21, 40	59
Crack	3	22, 41	60
Heroin	4	23, 42	61
Hallucinogens	5	24, 43	62
LSD	6	25, 44	63
PCP	7	26, 45	64
Ecstasy	8	27, 46	65
Inhalants	9	28, 47	66
Pain Relievers	10	29, 48	67
Tranquilizers	11	30, 49	68
Stimulants	12	31, 50	69
Methamphetamines	13	32, 51	70
Sedatives	14	33, 52	71
Alcohol	15	34, 53	72
Any Cigarette Use	16	35, 54	73
Daily Cigarette Use	17	36, 55	74
Smokeless Tobacco	18	37, 56	75
Cigars	19	38, 57	76

¹ Incidence tables include estimates for each year from 1965 through 2001 of the number of initiates (in thousands) by age group, mean age of first use, and age-specific rates of first use. Tables Indexed in this column (4.1 to 4.19) are among persons aged 12 or older.

² Incidence tables include estimates for each year from 1965 through 2001 of the number of initiates (in thousands) by age group, mean age of first use, and age-specific rates of first use. Tables Indexed in this column are among males aged 12 or older (4.20 to 4.38) or among females aged 12 or older (4.39 to 4.57).

³ Lifetime prevalence tables include estimates for each year from 1965 through 2001 by age group and gender.

Matrix of Section 5 Tables: Dependence, Abuse, and Treatment

Cell entries in this matrix refer to the tables in Section 5 numbered 5.1 to 5.85.

Characteristic	Past Year Dependence		Past Year Abuse	
	Specific Substances ¹	Any Illicit Drug or Alcohol	Specific Substances ¹	Any Illicit Drug or Alcohol
All Persons Aged 12 or Older	1, 25	2, 3, 8, 26, 27, 32, 37	13, 25	14, 15, 20, 26, 27, 32, 37
All Persons Aged 18 or Older		7, 12, 31, 36		19, 24, 31, 36
Standard Age Groups (in Years)	1, 25	3, (4-6), (9-11), 27, (28-30), (33-35)	13, 25	15, (16-18), (21-23), 27, (28-30), (33-35)
23 Detailed Age Categories		2, 26		14, 26
Gender		3-7, 27-31		15-19, 27-31
Hispanic Origin and Race		3-7, 27-31		15-19, 27-31
Gender/Race/Hispanic Origin		4, 28		16, 28
Education & Current Employment		5-7, 29-31		17-19, 29-31
Geographic Characteristics		8-12, 32-36		20-24, 32-36
Dependence/Abuse		37		37

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ Tables indexed in this column present estimates of specific NSDUH drug and alcohol categories. See Table 5.1, 5.13, or 5.25 for a complete listing of all the drugs, alcohol, and drug/alcohol combinations.

Matrix of Section 5 Tables: Dependence, Abuse, and Treatment (continued)

Cell entries in this matrix refer to the tables in Section 5 numbered 5.1 to 5.85.

Characteristic	Past Year Treatment		
	Specific Substances ¹	Received (Any Illicit Drug and/or Alcohol) ²	Needed and Received (Illicit Drug) ³
All Persons Aged 12 or Older	57	38, 39, 44, 49, 56, 59	70,71, 76, 81-85
All Persons Aged 18 or Older		43, 48	75,80
Standard Age Groups (in Years)		39, (40-42), (45-47), 49, 59	71, (72-74), (77-79), 81-85
23 Detailed Age Categories		38	70
Gender		39-43	71-75, 81-85
Hispanic Origin and Race		39-43	71-75, 82,84
Gender/Race/Hispanic Origin		40	72, 82
Education & Current Employment		41-43	73-75
Geographic Characteristics		44-48	76-79
Dependence/Abuse	57	56	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ Tables indexed in this column present estimates of specific NSDUH drug and alcohol categories. See Table 5.1, 5.13, or 5.25 for a complete listing of all the drugs, alcohol, and drug/alcohol combinations.

² Tables indexed in this column present estimates for receiving treatment for any illicit drug use, alcohol use, both any illicit drug and alcohol use, as well as receiving treatment for any illicit drug or alcohol use.

³ Tables indexed in this column present estimates for needing treatment for an illicit drug problem, receiving treatment at a specialty facility, and treatment gap.

Matrix of Section 5 Tables: Dependence, Abuse, and Treatment (continued)

Cell entries in this matrix refer to the tables in Section 5 numbered 5.1 to 5.85.

Characteristic	Past Year Treatment			
	Source of Payment		Specific Locations	Specialty Facility
	Treatment at Any Facility ¹	Treatment at a Specialty Facility ²		
All Persons Aged 18 or Older	50-52	62-64	53-55	58-61, 68, 69
All Persons Aged 12 or Older				
All Persons Aged 18 or Older	50-52	62-64	53-55	59
Standard Age Groups (in Years)				58
23 Detailed Age Categories				59
Gender				59
Hispanic Origin and Race				
Gender/Race/Hispanic Origin				
Education & Current Employment				(60)
Geographic Characteristics				68, 69
Dependence/Abuse				

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ Tables indexed in this column present estimates for treatment received at any facility, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

² Tables indexed in this column present estimates for treatment received at a specialty facility, such as a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug use, or for medical problems associated with drug use.

Matrix of Section 6 Tables: Mental Health

Cell entries in the matrix refer to tables in Section 6 numbered 6.1 to 6.49.

Characteristic	Serious Mental Illness	Mental Health Treatment/Counseling	Outpatient Mental Health Treatment/Counseling
All Persons Aged 18 or Older	1-3, 5, 7, 8-21, 23, 25, 27, 32, 34, 36, 38, 39, 40	16-30, 35-39	31-34
Standard Age Groups (in Years)	(2, 3, 8, 9, 12-15, 17, 20, 25, 32, 34)	(17, 20, 24, 25, 35)	(31-34)
23 Detailed Age Categories	(1, 16, 19, 23)	(16-19, 22, 23)	
Gender	1, 2, 8, 9, 12-15, 17, 20, 25	17, 20, 24, 25, 35	
Hispanic Origin and Race	2, 8, 9, 17, 20, 25	17, 20, 24, 25, (35)	
Education & Current Employment	2, 8, 9, 17, 20, 25	17, 20, 24, 25, (35)	
Geographic Characteristics	3, 18, 21, (27), (36)	18, 21, (26), (27), (36)	
Family Income	27, 36	26, 27, 36	
Government Assistance Programs	27, 36	26, 27, 36	
Use of Specific Illicit Drugs in the Past Year ¹	4, 5, (39, 40)	28, (39)	
Any Illicit Drug Use in the Past Year	8, 9, 39, 40	39	
Specific Use of Tobacco/Alcohol in the Past Year ²	6, 7, (39, 40)	29, (39)	
Specific Use of Tobacco/Alcohol in the Past Month ²	6, 7	29	
Illicit Drug Dependence/Abuse	10-13, 39, 40	30, 39	
Alcohol Dependence/Abuse	10, 11, 14, 15, 39, 40	30, 39	
Types of Mental Health Treatment/Counseling	23, 25, 27	22-27	
Location of Outpatient Mental Health Treatment/Counseling	32		31, 32
Source of Payment for Outpatient Mental Health Treatment/Counseling	34		33, 34
Reasons for Not Receiving Mental Health Treatment/Counseling	38	37, 38	
Unmet Need for Mental Health Treatment/Counseling	36, 38, 39, 40	35-39	
Serious Mental Illness		16-21, 23, 25, 27, 36, 38, 39	32, 34
Mental Health Treatment/Counseling	16-21, 23, 25, 27, 36, 38, 39		

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this row present estimates for all NSDUH drugs and drug categories. See Table 6.4 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this row present estimates for all NSDUH tobacco and alcohol categories. See table 6.6 for a complete listing of all the tobacco and alcohol types.

Matrix of Section 6 Tables: Mental Health (continued)

Cell entries in the matrix refer to tables in Section 6 numbered 6.1 to 6.49.

Characteristic	Adolescent Mental Health Treatment/Counseling
All Persons Aged 12 to 17	41-49
7 Detailed Age Categories	(41-43, 45, 46)
Gender	41, 43
Hispanic Origin and Race	41, 43
Geographic Characteristics	(42, 44)
Family Income	42, 44
Government Assistance Programs	42, 44
Source of Mental Health Treatment/Counseling	45
Reasons for Mental Health Treatment/Counseling	46
Use of Specific Illicit Drugs in the Past Year ¹	47
Any Illicit Drug Use in the Past Year	43, 44
Specific Use of Tobacco/Alcohol in the Past Year ²	48
Specific Use of Tobacco/Alcohol in the Past Month ²	48
Illicit Drug Dependence/Abuse	49
Alcohol Dependence/Abuse	49

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NSDUH drugs and drug categories. See Table 6.47 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this column present estimates for all NSDUH tobacco and alcohol categories. See table 6.48 for a complete listing of all the tobacco and alcohol types.

Matrix of Section 7 Tables: Miscellaneous

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.104.

Characteristic	Use of Specific Illicit Drugs ¹	Use of Specific Tobacco and Alcohol ²	Any Illicit Drug Use				Any Illicit Drug Other Than Marijuana Use	
	Past Month	Past Month	Past Year	Past Month	Dependence	Abuse	Drove Under the Influence	Past Year
All Persons Aged 12 or Older	13, 17	21, 25	90, 93, 96, 99, 102		92, 95, 98, 101, 104	92, 95, 98, 101, 104	74-75	90, 93, 96, 99, 102
All Persons Aged 18 or Older	78, (79), 84, (85)			80, 86	29, 33, 81-82, 87-88	31, 33, 81-82, 87-88	76-77	
All Persons Aged 12 to 20								
All Persons Aged 21 or Older								
Standard Age Groups (in Years)	(14-16), (18-20)	(22-24), (26-28)	90, 93, 96, 99, 102	(55), (65), (80), (86)	(29), (33), (81-82), (87-88), 92, 95, 98, 101, 104	(31), (33), (81-82), (87-88), 92, 95, 98, 101, 104	75	90, 93, 96, 99, 102
23 Detailed Age Categories							74	
Gender	(54), (63-64)	(57), (68-69)		(55), 65, 80, 86	29, 33, 81-82, 87-88	31, 33, 81-82, 87-88	75-76	
Hispanic Origin and Race				55, 65	(29), (33)	(31), (33)	75-76	
Gender/Race/Hispanic Origin								
Education & Current Employment					(29), (33)	(31), (33)	76	
Geographic Characteristics							77	
Level of Cigarette Use	13-16	21-24						
Level of Alcohol Use	17-20	25-28						
Age First Used Marijuana					29, 33	31, 33		
Age First Used Alcohol								
Pregnancy (Females Aged 15 to 44)	54	57		55				
College Enrollment (Persons Aged 18 to 22)	62-64	67-69		65				
Probation	78-79			80	81-82	81-82		
Parole/Supervised Release	84-85			86	87-88	87-88		
Government Assistance Programs			90		92	92		90
Supplemental Security Income (SSI)			93		95	95		93
Food Stamps			96		98	98		96
Cash Assistance			99		101	101		99
Noncash Assistance			102		104	104		102

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NSDUH drugs and drug categories. See Table 7.13 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this column present estimates for all NSDUH tobacco and alcohol categories. See table 7.21 for a complete listing of all the tobacco and alcohol types.

Matrix of Section 7 Tables: Miscellaneous (continued)

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.104.

Characteristic	Marijuana Use			Obtaining Marijuana	Cocaine Use	Hallucinogen Use	Inhalant Use	Serious Mental Illness
	Past Year	Past Month	Frequency of Use	Past Year	Frequency of Use	Frequency of Use	Frequency of Use	Past Year
All Persons Aged 12 or Older	90, 93, 96, 99, 102							92, 95, 98, 101, 104
All Persons Aged 18 or Older								83, 89
All Persons Aged 12 to 20								
All Persons Aged 21 or Older								
Standard Age Groups (in Years)	90, 93, 96, 99, 102	(56), (66)	1	35-37	2	3	4	(83), (89), 92, 95, 98, 101, 104
23 Detailed Age Categories								
Gender	(56), 66							83, 89
Hispanic Origin and Race	56, 66							
Gender/Race/Hispanic Origin								
Education & Current Employment								
Geographic Characteristics								
Level of Cigarette Use								
Level of Alcohol Use								
Age First Used Marijuana								
Age First Used Alcohol								
Pregnancy (Females Aged 15 to 44)	56							
College Enrollment (Persons Aged 18 to 22)	66							
Probation								83
Parole/Supervised Release								89
Government Assistance Program	90							92
Supplemental Security Income (SSI)	93							95
Food Stamps	96							98
Cash Assistance	99							101
Noncash Assistance	102							104

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 7 Tables: Miscellaneous (continued)

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.104.

Characteristic	Alcohol Use							Heavy Alcohol Use
	Past Month	Frequency of Use	Measures of Consumption	Dependence	Abuse	Drove Under the Influence	Past Month Only	
All Persons Aged 12 or Older	7-8, 17, 25, 91, 94, 97, 100, 103		7-8	92, 95, 98, 101, 104	92, 95, 98, 101, 104	74-75	17, 25, 91, 94, 97, 100, 103	17, 25
All Persons Aged 18 or Older				30, 34, 82, 88	32, 34, 82, 88	76-77		
All Persons Aged 12 to 20	9		9					
All Persons Aged 21 or Older	10		10					
Standard Age Groups (in Years)	8, (18-20), (26-28), (59), (71), 91, 94, 97, 100, 103	6	8	(30), (34), (82), (88), 92, 95, 98, 101, 104	(32), (34), (82), (88), 92, 95, 98, 101, 104	75	(18-20), (26-28), (60), (72), 91, 94, 97, 100, 103	(18-20), (26-28), (61), (73)
23 Detailed Age Categories	7		7			74		
Gender	8-10, (59), 71		8-10	30, 34, 82, 88	32, 34, 82, 88	75-76	(60), 72	(61), 73
Hispanic Origin and Race	8-10, 59, 71		8-10	(30), (34)	(32), (34)	75-76	60, 72	61, 73
Gender/Race/Hispanic Origin	9-10		9-10					
Education & Current Employment				(30), (34)	(32), (34)	76		
Geographic Characteristics						77		
Level of Cigarette Use								
Level of Alcohol Use	17-20, 25-28						17-20, 25-28	17-20, 25-28
Age First Used Marijuana								
Age First Used Alcohol				30, 34	32, 34			
Pregnancy (Females Aged 15 to 44)	59						60	61
College Enrollment (Persons Aged 18 to 22)	71						72	73
Probation				82	82			
Parole/Supervised Release				88	88			
Government Assistance Program	91			92	92		91	
Supplemental Security Income (SSI)	94			95	95		94	
Food Stamps	97			98	98		97	
Cash Assistance	100			101	101		100	
Noncash Assistance	103			104	104		103	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 7 Tables: Miscellaneous (continued)

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.104.

Characteristic	Cigarette Use						Cigarette Brand Used Most Often	Cigar Brand Used Most Often	Smokeless Tobacco	Source of Cigarettes
	Past Month	Frequency of Use	Measures of Consumption	Specialty Cigarettes	Bidis	Cloves	Past Month	Past Month	Past Month	Past Month
All Persons Aged 12 or Older	11-13, 21, 53, 91, 94, 97, 100, 103		11-12	50, 53	51, 53	52, 53	40	46-47	49	
All Persons Aged 18 or Older										
All Persons Aged 12 to 20										
All Persons Aged 21 or Older										
Standard Age Groups (in Years)	12, (14-16), (22-24), 53, (58), (70), 91, 94, 97, 100, 103	5	12	50, 53	51, 53	52, 53	40-45	46	49	(38-39)
23 Detailed Age Categories	11		11							
Gender	12, (58), 70		12	50	51	52	(41-42)	47		
Hispanic Origin and Race	12, 58, 70		12	50	51	52	(43-45)	(48)		
Gender/Race/Hispanic Origin										
Education & Current Employment										
Geographic Characteristics										
Level of Cigarette Use	13-16, 21-24									
Level of Alcohol Use										
Age First Used Marijuana										
Age First Used Alcohol										
Pregnancy (Females Aged 15 to 44)	58									
College Enrollment (Persons Aged 18 to 22)	70									
Probation										
Parole/Supervised Release										
Government Assistance Program	91									
Supplemental Security Income (SSI)	94									
Food Stamps	97									
Cash Assistance	100									
Noncash Assistance	103									

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 8 Tables: Sample Sizes and Population Estimates

Cell entries in the matrix refer to tables in Section 8 numbered 8.1 to 8.16.

Characteristic	2002
All Persons Aged 12 or Older	1-10, 16
All Persons Aged 18 or Older	13, 14, 15
Youth and Adult Age Groups (12 to 17, 18 or Older)	3,6, 9
Underage and Legal Drinking Age Groups (12 to 20, 21 or Older)	4, 7,10
Standard Age Groups (in Years)	2,5, 8, (13), 16
23 Detailed Age Groups	1
Gender	1-4, (11), 12-13
Gender/Age	14, 15
Hispanic Origin and Race	2-4, 12, (13)
Gender/Race/Hispanic Origin	2-4
Racial/Ethnic Subgroups	5-7
Education & Current Employment	2, 3, 13
Geographic Characteristics	8-10, (13)
Pregnancy	11
College Enrollment	12
Mental Health Treatment or Counseling	13
Probation	14
Parole/Supervised Release	15
Participation in Selected Government Assistance Programs	16

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.